

# RONDA normtech 700 & 6000

Long battery-life and special functionality

*Caliber 715 – 11½'''*



## Product Specifications

Analog quartz movement

Line normtech

Caliber 715

Size 11½'''

Version Swiss Made 5 Jewels / gold plated  
Swiss Parts 1 Jewels / nickel plated

Standard battery life 60 months

Hand fitting height 1

## Features

- Repairable metal watch movement
- Very long battery life
- Power saving mechanism with pulled out stem: Reduction of consumption approximately 70%
- Movement available as 2 or 3 hands version

## Functions

- Date
- 3 hands

## Technical Specifications

|                                |                                      |
|--------------------------------|--------------------------------------|
| Diameter Total                 | 26.00 mm                             |
| Case fitting                   | 25.60 mm                             |
| Movement height                | 2.50 mm                              |
| Height over standard battery   | 2.75 mm                              |
| Movement rest                  | 0.60 mm                              |
| Height over stem               | 1.00 mm                              |
| Length of stem travel          | 0.90 mm                              |
| Stem thread                    | 0.90 mm                              |
| Standard battery               | 371                                  |
| Standard battery life          | 60 months                            |
| Battery voltage                | 1.5 V                                |
| Current consumption – typical  | 0.96 µA (Date Mechanism not in Gear) |
| Current consumption – maximum  | 1.35 µA (Date Mechanism not in Gear) |
| Useful torque second – typical | 8 µNm                                |
| Useful torque minute – typical | 400 µNm                              |
| Operating temperature          | 0 - 50 °C                            |
| Instantaneous rate             | -10/ +20 sec/month                   |
| Resistance to magnetic fields  | 18.8 Oe                              |
| Resistance against shock       | NIHS 91-10                           |

## Watch production

Drawing Casing ring (standard, PDF)  
 Drawing Dial (stem 3h, calendar 3h, PDF)  
 Drawing Dial (stem 3h, calendar 3h, round, PDF)  
 Drawing Dial (stem 3h, calendar 4h, PDF)  
 Drawing Dial (stem 3h, calendar 4h, round, PDF)  
 Drawing Dial (stem 3h, calendar 6h, PDF)  
 Drawing Dial (stem 3h, calendar 4 1/2 h, PDF)  
 Drawing Dial (stem 3h, calendar 6h, round, PDF)  
 Drawing Hand fitting (hand height 6, PDF)  
 Drawing Hand fitting (hand height 0-5, PDF)  
 Drawing Stem

## User's manual

User's manual (PDF)

## Watch repairs

Technical instruction (PDF)

